Applicant: John H. Westerbeke, Jr. Attorney's Docket No.: 00637-031001

Serial No: : 10/057,504 Filed : January 25, 2002

Page : 2 of 6

٠,

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

<u>Listing of Claims</u>:

Claims 1-23 canceled.

24. (currently amended) A marine electrical power generator mounted inside a boat hull, the generator comprising

a four-stroke, water-cooled engine with a vertically-oriented drive shaft and an exhaust system including an exhaust riser extending to above a water line of the hull;

a permanent magnet alternator with a cup-shaped rotor mounted at one end of the engine drive shaft to produce electricity; and

a transportable frame upon which the engine and alternator are mounted, the platform defining mounting points for securing the generator inside the boat hull;

wherein the rotor carries an arrangement of permanent magnets attached to an inner circumferential surface of the rotor.

- 25. (original) The generator of claim 24 mounted below a deck of the boat.
- 26. (original) The generator of claim 24 further comprising an enclosure surrounding the engine and alternator.

the rest of the section will be a strongly officer and since the contract

and the state of t

The state of the s

so the of the Ingerigation, a which is se-

and the first of the second section of the second s

27. (Canceled)

Applicant: John H. Westerbeke, Jr. Attorney's Docket No.: 00637-031001

(4) Both Control of the Control o

CONTRACTOR STATES AND A STATE OF THE STATES AND A STATE OF THE STATES AND A STATE OF THE STATES AND A STATES

Serial No: : 10/057,504 Filed : January 25, 2002

Page : 3 of 6

28. (currently amended) The generator of claim [[27]] <u>24</u> wherein weight and position of the magnets are selected to balance firing impulses and radial accelerations of the engine and its rotating components.

- 29. (original) The generator of claim 24 wherein the alternator includes a stationary, wound stator responsive to the moving magnetic fields generated by the rotor and packaged within the rotating rotor.
- 30. (original) The generator of claim 24 further comprising a seawater pump mounted on another end of the engine drive shaft.

Land of the Control of the Alberta

- 31. (original) The generator of claim 24 wherein the engine comprises an engine designed for use in a vertical shaft configuration in outboard marine motors.
- 32. (original) The generator of claim 24 having an overall height of less than about 15 inches.
- 33. (original) The generator of claim 24 having an overall height of less than about 12 inches.

The order of the engineering of

34. (currently amended) A method of producing electrical power on-board a boat, the method comprising

attaching a crankshaft of an outboard motor engine to an electrical generator with a permanent magnet alternator having a cup-shaped rotor mounted at one end of the engine drive shaft carrying an arrangement of permanent magnets attached to an inner circumference of the alternator;

mounting the engine and generator within a hull of a boat; running the engine to produce electrical power; and

Applicant: John H. Westerbeke, Jr. Attorney's Docket No.: 00637-031001

Commence of the first

Serial No:: 10/057,504

Filed : January 25, 2002

Page : 4 of 6

directing electrical power from the generator to a remote electrical load to perform useful work.

man and the graph being a stage of the stage of